



Vendor: HP

Exam Code: HP0-S35

**Exam Name: Implementing HP BladeSystem Solutions
Exam**

Version: Demo

QUESTION 1

Which benefit does an SSD drive offer over an SAS hard drive?

- A. Higher access time and lower latency
- B. Higher access time and higher latency
- C. Lower access time and higher latency
- D. Lower access time and lower latency

Correct Answer: D

QUESTION 2

What is the maximum number of hard drives that can be installed in a D2200sb Storage Blade?

- A. 6
- B. 10
- C. 12
- D. 24

Correct Answer: C

QUESTION 3

In case of failure, which HP BladeSystem c7000 component is mandatory Customer-Self-Repair (CSR) and must be replaced by the customer?

- A. KVM Module
- B. Media Board
- C. Optical Drive
- D. Onboard Admin Link Module

Correct Answer: A

QUESTION 4

Which features were added to the Hyper-V role in Windows Server 2008 R2? (Choose two)

- A. Failover clustering
- B. Support for up to 192 running virtual machines
- C. Second-Level Address Translation
- D. Virtual machine snapshots
- E. Support for 24 logical processors

Correct Answer: CD

QUESTION 5

What describes a single cold-aisle containment for rack placement in a data center?

- A. Racks face back to front
- B. Racks face front to back
- C. Racks face back to back
- D. Racks face front to front

Correct Answer: D

QUESTION 6

HOTSPOT

Match each technology to its description.

Online Spare Memory

HP SmartMemory

Mirrored Memory

Double-Chip Sparing

Lockstep Memory

Online Spare Memory

provides full protection against single-bit and multi-bit errors
protect a system's memory from double-bit faults
reliably identifies and verifies if loaded memory is genuine HP
two channel operation as a single channel
designates a populated channel as the spare

HP SmartMemory

provides full protection against single-bit and multi-bit errors
protect a system's memory from double-bit faults
reliably identifies and verifies if loaded memory is genuine HP
two channel operation as a single channel
designates a populated channel as the spare

Mirrored Memory

provides full protection against single-bit and multi-bit errors
protect a system's memory from double-bit faults
reliably identifies and verifies if loaded memory is genuine HP
two channel operation as a single channel
designates a populated channel as the spare

Double-Chip Sparing

provides full protection against single-bit and multi-bit errors
protect a system's memory from double-bit faults
reliably identifies and verifies if loaded memory is genuine HP
two channel operation as a single channel
designates a populated channel as the spare

Lockstep Memory

provides full protection against single-bit and multi-bit errors
protect a system's memory from double-bit faults
reliably identifies and verifies if loaded memory is genuine HP
two channel operation as a single channel
designates a populated channel1 as the spare

Correct Answer:

Online Spare Memory

provides full protection against single-bit and multi-bit errors
protect a system's memory from double-bit faults
reliably identifies and verifies if loaded memory is genuine HP
two channel operation as a single channel
designates a populated channel1 as the spare

HP SmartMemory

provides full protection against single-bit and multi-bit errors
protect a system's memory from double-bit faults
reliably identifies and verifies if loaded memory is genuine HP
two channel operation as a single channel
designates a populated channel1 as the spare

Mirrored Memory

provides full protection against single-bit and multi-bit errors
protect a system's memory from double-bit faults
reliably identifies and verifies if loaded memory is genuine HP
two channel operation as a single channel
designates a populated channel1 as the spare

Double-Chip Sparing

provides full protection against single-bit and multi-bit errors
protect a system's memory from double-bit faults
reliably identifies and verifies if loaded memory is genuine HP
two channel operation as a single channel
designates a populated channel1 as the spare

Lockstep Memory

provides full protection against single-bit and multi-bit errors
protect a system's memory from double-bit faults
reliably identifies and verifies if loaded memory is genuine HP
two channel operation as a single channel
designates a populated channel1 as the spare

QUESTION 7

Which functionality is enabled with the HP Insight Control for System Center management add-on?

- A. Deliver bare metal deployment of Hyper-V hosts with Server Automation
- B. Live migration of virtual machines between AMD and Intel processor platforms
- C. proactively automate movement of virtual machines based on pre failure alerts from HP ProLiant servers

- D. Provides the ability to lock-step mirror virtual machines through the HP c-Class midplane

Correct Answer: C

QUESTION 8

Which HP PDU provides remote monitoring and has the ability to switch power on selected outlets?

- A. Modular PDU
- B. Modular PDU with optional SNMP module
- C. iPDU with the Intelligent Extension Bars
- D. Monitored PDU

Correct Answer: C

QUESTION 9

What is an advantage of the HP D2200sb Storage Blade?

- A. Increases available direct attached storage within a blade server
- B. Is optimized for boot from SAN environments
- C. Provides shared storage within a blade enclosure
- D. Delivers better performance than external drives

Correct Answer: A

QUESTION 10

A customer is running a VMware vSphere cluster in a business critical production environment. Which step should be performed before servicing an HP server blade?

- A. Place the host that needs to be serviced in Maintenance mode
- B. Power off the server blade before removing it from the enclosure
- C. Power off all virtual machines in the environment
- D. Suspend the virtual machines on the host that needs to be serviced

Correct Answer: A

QUESTION 11

Which Gen8 server feature allows a customer to choose different connectivity options for the default network interface?

- A. FlexNIC
- B. Flex-10
- C. FlexLOM
- D. FlexFabric

Correct Answer: C

QUESTION 12

HOTSPOT

Match each technology to its description.

Enhanced MCA Recovery

Soft Error hardened latches

Dynamic Processor Resiliency

Intel Cache Safe Technology

Enhanced MCA Recovery

- online deallocation of CPUs that are exhibiting an unacceptable number of correctable errors
- allows for errors that can not be corrected within the hardware to be optionally recovered by the OS
- advanced compensation for errors in cache
- reduce the susceptibility of processes to high-energy particles

Soft Error hardened latches

<input type="text"/>
<p>online deallocation of CPUs that are exhibiting an unacceptable number of correctable errors</p> <p>allows for erroe that can not be corrected within the hardware to be optionally recovered by the OS</p> <p>advanced componsation for errors in cache</p> <p>reduce rthe susceptibility of processes to high-energy particles</p>

Dynamic Processor Resiliency

<input type="text"/>
<p>online deallocation of CPUs that are exhibiting an unacceptable number of correctable errors</p> <p>allows for erroe that can not be corrected within the hardware to be optionally recovered by the OS</p> <p>advanced componsation for errors in cache</p> <p>reduce rthe susceptibility of processes to high-energy particles</p>

Intel Cache Safe Technology

<input type="text"/>
<p>online deallocation of CPUs that are exhibiting an unacceptable number of correctable errors</p> <p>allows for erroe that can not be corrected within the hardware to be optionally recovered by the OS</p> <p>advanced componsation for errors in cache</p> <p>reduce rthe susceptibility of processes to high-energy particles</p>

Correct Answer:

Enhanced MCA Recovery

- online deallocation of CPUs that are exhibiting an unacceptable number of correctable errors
- allows for error that can not be corrected within the hardware to be optionally recovered by the OS
- advanced compensation for errors in cache
- reduce the susceptibility of processes to high-energy particles

Soft Error hardened latches

- online deallocation of CPUs that are exhibiting an unacceptable number of correctable errors
- allows for error that can not be corrected within the hardware to be optionally recovered by the OS
- advanced compensation for errors in cache
- reduce the susceptibility of processes to high-energy particles

Dynamic Processor Resiliency

- online deallocation of CPUs that are exhibiting an unacceptable number of correctable errors
- allows for error that can not be corrected within the hardware to be optionally recovered by the OS
- advanced compensation for errors in cache
- reduce the susceptibility of processes to high-energy particles

Intel Cache Safe Technology

online deallocation of CPUs that are exhibiting an unacceptable number of correctable errors

allows for errors that can not be corrected within the hardware to be optionally recovered by the OS

advanced compensation for errors in cache

reduce the susceptibility of processes to high-energy particles

QUESTION 13

What is the minimum number of CPU sockets that must be populated in a BL890c i2?

- A. 1
- B. 2
- C. 4
- D. 6

Correct Answer: C

QUESTION 14

Which HP tool can you use to detect and analyze server hardware bottlenecks?

- A. Insight Control Virtual Machine Management
- B. Insight Control Server Deployment
- C. Insight Control Server Migration
- D. Insight Control Performance Management

Correct Answer: D

QUESTION 15

Which filesystem can be used on a Linux operating system?

- A. EXT3
- B. NTFS
- C. EVFS
- D. HFS

Correct Answer: A

QUESTION 16

What is the name of the core-to-core transport mechanism used in Intel XEON processors?

- A. Quick Path Interconnect
- B. Crossbar switch
- C. Hyper Transport
- D. Northbridge

Correct Answer: A

QUESTION 17

A customer bought a new HP BladeSystem c7000 enclosure with HP Flex-10 interconnect modules. Which HP BladeSystem installation and startup Service is needed to implement the network configuration of the HP Flex-10 modules?

- A. Network Infrastructure service
- B. Startup BladeSystem c-Class infrastructure service
- C. Enhanced Network service
- D. Enclosure Connectivity service

Correct Answer: C

QUESTION 18

A customer needs many HP BladeSystem servers equipped with additional server options. The solution must be racked and cabled before delivery. Which HP service should be recommended?

- A. Config to Order
- B. Optimized Care
- C. Rapid Deployment
- D. Factory Express

Correct Answer: D

QUESTION 19

You are planning the installation of a new HP BladeSystem c7000 enclosure with HP Virtual Connect Flex10 modules. The customer expects that a Flex-10 configuration will be implemented in addition to the physical setup of the hardware. Which HP services should you recommend? (Choose two)

- A. HP Startup Blade System c-Class Enhanced Network Service
- B. HP Install c-Class Connectivity Solution package
- C. HP Install c-Class Enclosure & Server Blade Service
- D. HP 3-year Next Business Day c7000 Enclosure Hardware Support
- E. HP Blade System VLAN Implementation Service

Correct Answer: AC

QUESTION 20

An engineer installs four HP Virtual Connect Flex-10 10 Gb Ethernet modules into a c7000 enclosure. What is required to enable all Ethernet NICs on all servers to have access to any Virtual Connect Ethernet module uplink port?

- A. External stacking links between the interconnects
- B. Virtual Connect Enterprise Manager license
- C. HP Insight Control central management server (CMS)
- D. Internal stacking link enablement for all modules in the Onboard Administrator interface

Correct Answer: A

QUESTION 21

During a planning session, a customer is exploring virtualization solutions and asks if there is virtualization solution that can minimize downtime in case of server failure. Which solution meets this equipment?

- A. VMware vSphere Fault Tolerance virtual machine solution
- B. VMware vSphere DRS Cluster solution
- C. Microsoft Computer Cluster solution
- D. Microsoft Windows Server 2008 R2 cluster using majority model

Correct Answer: A

QUESTION 22

What must be considered when updating a secured Linux server using HP Software Manager?

- A. The Apache server must be installed on the Linux and HP Software Update Manager servers
- B. Firewall ports of the Linux server must be set to allow the remote connection
- C. The Linux plug-in must be installed on the HP Software Update Manager server
- D. The FTP server must be enabled on the Linux server

Correct Answer: B

QUESTION 23

Which KVM is assigned Master Status in a cascaded configuration?

- A. KVM Console Switch
- B. HP Server Console Switch G2 with Virtual Media & CAC
- C. IP Console Switch with Virtual Media & CAC
- D. HP Server Console Switch

Correct Answer: B

QUESTION 24

Which HP document provides up-to-date lists of tested drivers and firmware revisions for HP tape libraries?

- A. EBS Example Configuration Guide
- B. EBS Compatibility Matrix
- C. Library Compatibility Matrix
- D. EBS Design Guide

Correct Answer: B

QUESTION 25

Which action must be performed when adding a processor to an HP ProLiant BL460c server?

- A. Upgrade the firmware on the Smart Array Controller
- B. Add additional memory to Processor one
- C. Confirm voltage rating on the memory DIMMs
- D. Verify and update system ROM if needed

Correct Answer: D

QUESTION 26

A customer wants to move an HP blade server from one bay to another within the same Virtual Connect domain. The customer requires that the server maintains the same WWNs MACs. What must be done to meet this requirement?

- A. Nothing needs to be done as the profile follows the server automatically to the new bay.
- B. Copy the profile from the original bay to the new bay.
- C. Write the profile to the server, then move the server to the new bay.
- D. Move the profile from the original bay to the new bay.

Correct Answer: D

QUESTION 27

Before implementing a solution, which HP tool helps facility and IT staff size power infrastructure to meet HP BladeSystem solution requirements?

- A. Facilitation Management Tool
- B. BladeSystem Power Sizer
- C. Power Regulator
- D. Power Calculator Tool
- E. Power infrastructure Sizer

Correct Answer: B

QUESTION 28

Which best practice can be considered when building an iSCSI network with high availability as a key deliverable?

- A. Ensure iSCSI traffic flows through the same broadcast domain as user traffic.
- B. Set iSCSI MTUs to 9000 and switch to 1500.
- C. Disable flowcontrol on the Ethernet switches.
- D. Separate iSCSI traffic from user traffic separate physical switches.

Correct Answer: D

QUESTION 29

When connecting an HP BladeSystem to a HP P4000 Storage System, which iSCSI initiator is required?

- A. Initiator provided by ProLiant Support Pack (PSP)
- B. MPIO iSCSI initiator pack included in the iSCSI connectivity kit CD
- C. Native iSCSI initiator provided by the OS vendor
- D. MPX200 iSCSI initiator target driver kit
- E. iSCSI initiator from the HP P4000 Solution Pack CD

Correct Answer: C

QUESTION 30

A customer wants to upgrade the memory and additional mezzanine cards in the company's HP c-Class blade servers. The customer is concerned about additional power requirements for this upgrade. Which HP resource can be used to verify power consumption and additional cooling requirements?

- A. BladeSystem Power Sizer
- B. Part surfer
- C. Channel Service Network
- D. Blade System Memory Configurator
- E. Product Bulletin

Correct Answer: A

EnsurePass.com Members Features:

1. Verified Answers researched by industry experts.
2. Q&As are downloadable in PDF and VCE format.
3. 98% success Guarantee and **Money Back** Guarantee.
4. Free updates for **180** Days.
5. **Instant Access to download the Items**

View list of All Exam provided:

<http://www.ensurepass.com/certifications?index=A>

To purchase Lifetime Full Access Membership click here:

<http://www.ensurepass.com/user/register>

Valid Discount Code for 2015: JREH-G1A8-XHC6

To purchase the HOT Exams:

<u>Cisco</u>		<u>CompTIA</u>		<u>Oracle</u>	<u>VMWare</u>	<u>IBM</u>
100-101	640-554	220-801	LX0-101	1Z0-051	VCAD510	C2170-011
200-120	200-101	220-802	N10-005	1Z0-052	VCP510	C2180-319
300-206	640-911	BR0-002	SG0-001	1Z0-053	VCP550	C4030-670
300-207	640-916	CAS-001	SG1-001	1Z0-060	VCAC510	C4040-221
300-208	640-864	CLO-001	SK0-003	1Z0-474	VCP5-DCV	RedHat
350-018	642-467	ISS-001	SY0-301	1Z0-482	VCP510PSE	EX200
352-001	642-813	JK0-010	SY0-401	1Z0-485		EX300
400-101	642-832	JK0-801	PK0-003	1Z0-580		
640-461	642-902			1Z0-820		

