



Exam Code: jn0-120

Exam Name: juniper networks certified internet
associate.e(jncia-e)

Vendor: Juniper Networks

Version: DEMO

Part: A

1: What is the maximum number of external DHCP servers per virtual router in a Bridged 1483 network?

- A.3
- B.5
- C.10
- D.20

Correct Answers: B

2: In a Bridged 1483 service offering, how does an end user's workstation dynamically obtain an IP address?

- A.RADIUS server
- B.external DHCP server
- C.address pool on the DSL modem
- D.address pool on the provider router

Correct Answers: B

3: A service provider is assigning a /30 subnet to each ATM PVC in a Routed 1483 environment. What is a consequence of this configuration?

- A.It burns up IP addresses.
- B.It conserves IP addresses.
- C.It results in a smaller routing table.
- D.The group of PVCs is treated as a large LAN.

Correct Answers: A

4: In a Routed 1483 network what method of routing is typically employed on the DSL router?

- A.static
- B.OSPF
- C.RIPv1
- D.RIPv2

Correct Answers: A

5: You have a Bridged 1483 service offering where each ATM PVC is assigned a /30 subnet. What are two characteristics of this configuration? (Choose two.)

- A.It burns IP addresses.
- B.It conserves IP addresses.
- C.Both the client and the ERX Edge Router have IP addresses.
- D.The client has an IP address, but the ERX Edge Router uses an unnumbered address.

Correct Answers: A C

6: What configuration command allows the ERX Edge Router to advertise customer networks into the provider's IGP?

- A.redistribute direct

- B.redistribute static
- C.redistribute connected
- D.redistribute access-internal

Correct Answers: B

7: Which command configures an ATM PVC in a Bridged 1483 network?

- A.atm pvc 33 0 33 aal5snap
- B.atm pvc 33 0 33 aal5bridge
- C.atm pvc 33 0 33 bridge1483
- D.atm pvc 33 0 33 1483bridge

Correct Answers: A

8: In a bridged 1483 network, what configuration command allows the ERX Edge Router to advertise customer networks into the provider's IGP?

- A.redistribute direct
- B.redistribute static
- C.redistribute connected
- D.redistribute access-internal

Correct Answers: C

9: Which configuration command represents a static customer route in a Routed 1483 network?

- A.ip route 40.40.0.0 255.255.0.0 172.10.1.2
- B.ip route 40.40.0.0 0.0.255.255 atm 6/0.33
- C.ip route 40.40.0.0 0.0.255.255 172.10.1.2
- D.ip route 40.40.0.0 255.255.0.0 atm 6/0.33

Correct Answers: D

10: The ERX Edge Router responds to a received PPP over Ethernet Active Discovery Initiation (PADI) with which message type?

- A.PPPoE Active Discovery Offer
- B.PPPoE Active Discovery Initiation
- C.PPPoE Active Session Confirmation
- D.PPPoE Active Session Acknowledgment

Correct Answers: A