



Vendor: Magento

Exam Code: M70-101

Exam Name: Magento Certified Developer Exam

Version: Demo

QUESTION 1

For an attribute to be loaded on a catalog/product object, which two of the following conditions must be satisfied? (Choose two)

- A. The eav_attribute table must contain a row defining the attribute's properties and its entity type.
- B. The attribute must have a backend model configured in the XML config.
- C. The attribute must be part of the attribute set pertaining to the object being loaded.
- D. There must be a record of the attribute on the catalog_product_super_attribute table.
- E. There must be a column added to the catalog_product_entitytable.

Correct Answer: AC

QUESTION 2

What class does an adminhtml grid directly extend?

- A. Mage_Adminhtml_Block_Widget
- B. Varien_Data_Grid
- C. Varien_Data_Widget
- D. Mage_Adminhtml_Block_Template

Correct Answer: A

QUESTION 3

You have a product collection and want to add a filter to get all products whose name starts with Test or whose price is 0.00. Which of the following statements would add that OR condition?

- A. \$collection->addAttributeToFilter(array(
 array ('attribute' => 'price', 'eq' => 0.00),
 array ('attribute' => 'name', 'like' => 'Test%')
));
- B. \$collection
 ->addFieldToFilter('price', 0.00)
 ->addFieldToFilter('name', array('like' => 'Test%'))
);
- C. \$collection
 ->addAttributeToFilter('price', 0.00)
 ->addAttributeToFilter('name', array('like' => 'Test%'))
);

- D. \$collection->addFieldToFilter(array('price', 'name'), array (array('eq' => 0.00), array('like' => 'Test%')));

- E. \$collection->addAttributeToFilter('price', 0.00)->addOrCondition('name', array('like' => 'Test%'));

Correct Answer: A

QUESTION 4

Which three of the following conditions are used to protect an admin route via ACL? (Choose three)

- A. You have defined an ACL in your module configuration
- B. At least one admin role must have permission for that route
- C. You have extended the controller from Mage_Adminhtml_Controller_Action
- D. You have defined a method _isAllowed which checks the permission
- E. The route name must start with admin

Correct Answer: ACD

QUESTION 5

Which table is used for calculating a new increment ID for an order?

- A. sales_flat_order_increment
- B. eav_entity_store
- C. core_increment
- D. core_config_data

Correct Answer: B

QUESTION 6

Which one of the following API methods exists in Magento?

- A. catalog_category.save
- B. catalog_product.items
- C. catalog_product_attribute_set.update
- D. catalog_product.info

Correct Answer: D

QUESTION 7

Which one of the following classes must you extend in order to implement a custom indexer?

- A. Mage_Eav_Model_Indexer_Abstract
- B. Mage_Core_Model_Indexer_Abstract
- C. Mage_Index_Model_Entity_Indexer_Abstract
- D. Mage_Index_Model_Indexer_Abstract

Correct Answer: D

QUESTION 8

Which two EAV attribute frontend_input types make use of source models? (Choose two)

- A. text
- B. textarea
- C. select
- D. multiselect
- E. date
- F. gallery

Correct Answer: CD

QUESTION 9

What is the difference in the effect of calling the invoice capture() method versus the invoice pay() method?

- A. No difference: pay() will always call capture().
- B. pay() will trigger the payment and capture() will not.
- C. capture() will trigger the payment and pay() will not.
- D. The difference is determined by the payment method implementation.

Correct Answer: C

QUESTION 10

How is the sort order in which total models collect their values specified?

- A. The sort order is specified in the admin configuration under Sales > "Checkout Totals Sort Order".

- B. The sort order is specified in the system configuration under global/sales/quote/totals/[total_code] with <before> and <after> nodes.
- C. The sort order is defined by the module loading order as specified by the children of the modules/ [module_name]/depends configuration node.
- D. The sort order is specified by the collect method in each total model.

Correct Answer: A

QUESTION 11

Which method is called on a shipping carrier model to fetch a list of all available shipping methods, along with the rates associated with them, for a quote address?

- A. collectShippingRates()
- B. getAllowedMethods()
- C. getShippingRates()
- D. getAvailableRates()
- E. collectRates()

Correct Answer: E

QUESTION 12

Which one of the following EAV attribute types may be used for layered navigation in native Magento?

- A. varchar
- B. enum
- C. option
- D. union

Correct Answer: C

QUESTION 13

You are creating a custom CMS module named Achme_Cms. Which one of the following is the correct XML required to override a controller from the Mage_Cms module in your Achme_Cms module?

A.

```
<frontend>
    <routers>
        <cms>
            <args>
                <modules>
                    <achme_cms before="Mage_Cms">Achme_Cms</achme_cms>
                </modules>
            </args>
        </cms>
    </routers>
</frontend>
```

B.

```
<frontend>
    <routers>
        <achme_cms>
            <args>
                <modules>
                    <cms before="Mage_Cms">Achme_Cms</cms>
                </modules>
            </args>
        </achme_cms>
    </routers>
</frontend>
```

C.

```
<frontend>
    <routers>
        <cms>
            <args>
                <rewrite>
                    <mage_cms>Achme_Cms</mage_cms>
                </rewrite>
            </args>
        </cms>
    </routers>
</frontend>
```

D.

```
<global>
    <controllers>
        <achme_cms>
            <rewrite>
                <mage_cms>Achme_Cms</mage_cms>
            </rewrite>
        </achme_cms>
    </controllers>
</global>
```

Correct Answer: A

QUESTION 14

Which of the following options would cause a poll/poll collection to load all entities that have been posted during April, 2011?

- A. \$collection->addAttributeToFilter('date_posted',
array('from' => '2011-04-01', 'to' => '2011-04-30')
);
- B. \$collection->addFieldToFilter('date_posted',
array('from' => '2011-04-01', 'to' => '2011-04-30')
);
- C. \$collection->addPostDateFilter('2011-04-01', '2011-04-30')
- D. \$collection->addFieldToSelect('date_posted',
array('from' => '2011-04-01', 'to' => '2011-04-30')
);

Correct Answer: B

QUESTION 15

The final price for the product on the product view page is _____.

- A. taken from the catalog_product_index_price table
- B. taken from the catalog_product_index_price_idx table
- C. taken from the catalog_product_index_price_final_idx table
- D. calculated on-the-fly on php-level
- E. pre-calculated in the products price attribute

Correct Answer: D

QUESTION 16

Which of the following is a true statement about how Magento loads data for an EAV-based data model?

- A. A data helper is used in order to properly load an object's attributes from the database.
- B. EAV-based data models use a different abstract resource class than other data models.
- C. The attribute values are loaded into an attribute collection object.
- D. You must always specify each of the attributes to be loaded on the model.

Correct Answer: B

QUESTION 17

Which one of the following class types directly charges a credit card when you capture an invoice in Magento admin?

- A. Order
- B. Payment
- C. Invoice
- D. payment_method

Correct Answer: D

QUESTION 18

Applying the shopping cart rule's action affects the quote item by setting the quote item's _____.

- A. base_price and price properties with the discounted price
- B. base_discount_amount and discount_amount with the discount applied to the original price
- C. base_row_total and row_total properties with the discounted price
- D. base_price_incl_tax and price_incl_tax properties with the discounted price

Correct Answer: B

QUESTION 19

Which one of the following statements is true regarding Mage_Core_Block_Text_List?

- A. Mage_Core_Block_Text_List declares its own template for rendering, but the rendered template can be overridden via layout XML.
- B. Child blocks of Mage_Core_Block_Text_List are always rendered alphabetically by name.
- C. Mage_Core_Block_Text_List will always render all children automatically when it is rendered.
- D. Mage_Core_Block_Text_List directly extends Mage_Core_Block_Template.
- E. In order to render, the parent block of Mage_Core_Block_Text_List must always be an output block.

Correct Answer: C

QUESTION 20

Which one of the following API protocols does native Magento support?

- A. XmlRpc
- B. REST
- C. POST
- D. Open Social
- E. XQuery

Correct Answer: A

EnsurePass.com Members Features:

1. Verified Answers researched by industry experts.
2. Q&As are downloadable in PDF and VCE format.
3. 98% success Guarantee and **Money Back** Guarantee.
4. Free updates for **180** Days.
5. **Instant Access to download the Items**

View list of All Exam provided:

<http://www.ensurepass.com/certifications?index=A>

To purchase Lifetime Full Access Membership click here:

<http://www.ensurepass.com/user/register>

Valid Discount Code for 2015: JREH-G1A8-XHC6

To purchase the HOT Exams:

| Cisco | CompTIA | Oracle | VMWare | IBM |
|---|---|-------------------------|---------------------------|---------------------------|
| 100-101 640-554 | 220-801 LX0-101 | 1Z0-051 | VCAD510 | C2170-011 |
| 200-120 200-101 | 220-802 N10-005 | 1Z0-052 | VCP510 | C2180-319 |
| 300-206 640-911 | BR0-002 SG0-001 | 1Z0-053 | VCP550 | C4030-670 |
| 300-207 640-916 | CAS-001 SG1-001 | 1Z0-060 | VCAC510 | C4040-221 |
| 300-208 640-864 | CLO-001 SK0-003 | 1Z0-474 | VCP5-DCV | RedHat |
| 350-018 642-467 | ISS-001 SY0-301 | 1Z0-482 | VCP510PSE | EX200 |
| 352-001 642-813 | JK0-010 SY0-401 | 1Z0-485 | | EX300 |
| 400-101 642-832 | JK0-801 PK0-003 | 1Z0-580 | | |
| 640-461 642-902 | | 1Z0-820 | | |

