



Exam Code: pgces-02

Exam Name: PostgreSQL CE 8 Silver

Vendor: PostgreSQL CE

Version: DEMO

Part: A

1: Select two suitable statements regarding the following SQL statement:

```
CREATE TRIGGER trigger_1 AFTER UPDATE ON sales FOR EACH ROW  
EXECUTE PROCEDURE write_log();
```

- A.It is defining a trigger "trigger_1".
- B.Every time 'UPDATE' is executed on the "sales" table, the "write_log" function is called once.
- C.The "write_log" function is called before 'UPDATE' takes place.
- D.'UPDATE' is not executed if "write_log" returns NULL.
- E.'DROP TRIGGER trigger_1 ON sales;' deletes the defined trigger.

Correct Answers: A E

2: Select two transaction isolation levels supported in PostgreSQL.

- A.DIRTY READ
- B.READ COMMITTED
- C.REPEATABLE READ
- D.PHANTOM READ
- E.SERIALIZABLE

Correct Answers: B E

3: PostgreSQL can use an index to access a table. Select two incorrect statements about indexes.

- A.An index is created by 'CREATE INDEX', and deleted by 'DROP INDEX'.
- B.By using an index effectively, searching and sorting performs faster.
- C.There are B-tree, Hash, R-tree and GiST index types.
- D.By creating an index, performance always improves.
- E.Creating an unused index does not affect the performance of a database at all.

Correct Answers: D E

4: Select two incorrect statements regarding 'DOMAIN'.

- A.When defining a domain, you can add a default value and constraints to the original data.
- B.Domain is a namespace existing between databases and objects such as tables.
- C.A domain is created by 'CREATE DOMAIN'.
- D.A domain can be used as a column type when defining a table.
- E.To define a domain, both input and output functions are required.

Correct Answers: B E

5: Select two suitable statements regarding the data types of PostgreSQL.

- A.One field can handle up to 1GB of data.
- B.'n' in CHARACTER(n) represents the number of bytes.
- C.Only the INTEGER type can be declared as an array.
- D.There is a non-standard PostgreSQL data type, called Geometric data type, which handles 2-dimensional data.
- E.A large object data type can be used to store data of unlimited size.

Correct Answers: A D

6: The table "score" is defined as follows:

gid	score
1	70
1	60
2	100
3	80
3	50

The following query was executed. Select the number of rows in the result.

```
SELECT gid, max(score) FROM score
GROUP BY gid HAVING max(score) > 60;
```

- A.1 row
- B.2 rows
- C.3 rows
- D.4 rows
- E.5 rows

Correct Answers: C

7: Table "t1" is defined as follows:

```
CREATE TABLE t1 (value VARCHAR(5));
```

A set of SQL statements were executed in the following order. Select the number of rows that table "t1" has after execution.

```
BEGIN;
INSERT INTO t1 VALUES ('AA');
SAVEPOINT point1;
INSERT INTO t1 VALUES ('BB');
SAVEPOINT point2;
INSERT INTO t1 VALUES ('CC');
ROLLBACK TO point1;
INSERT INTO t1 VALUES ('DD');
END;
```

- A.1 row
- B.2 rows
- C.3 rows
- D.4 rows
- E.0 rows

Correct Answers: B

8: Select two suitable statements about sequences.

A.A sequence always returns a 4-byte INTEGER type value, so the maximum value is 2147483647.

B.A sequence is defined by 'CREATE SEQUENCE', and deleted by 'DROP SEQUENCE'.

C.Although the "nextval" function is called during a transaction, it will have no effect if that transaction is rolled back.

D.A sequence always generates 0 or consecutive positive numbers.

E.A sequence number can be set by calling the "setval" function.

Correct Answers: B E

9: The "sample" table consists of the following data:

How many rows are returned by executing the following SQL statement?

```
SELECT DISTINCT ON (data) * FROM sample;
```

A.2 rows

B.3 rows

C.4 rows

D.5 rows

E.6 rows

Correct Answers: B

10: The following SQL statements were executed using psql.

Select the appropriate statement about the result.

```
LISTEN sign_v;
```

```
BEGIN;
```

```
NOTIFY sign_v;
```

```
COMMIT;
```

```
LISTEN sign_v;
```

A.At the point that 'NOTIFY sign_v' is executed, a message that starts with "Asynchronous notification 'sign_v' received" is output.

B.At the point that 'COMMIT' is executed, a message that starts with "Asynchronous notification 'sign_v' received" is output.

C.At the point that 'SELECT * FROM pg_user;" is executed, a message that starts with "Asynchronous notification 'sign_v' received" is output.

D.When 'LISTEN sign_v' is executed for the second time, a message that starts with "Asynchronous notification 'sign_v' received" is output.

E.The message "Asynchronous notification 'sign_v' received" is not received while in this connection.

Correct Answers: B