



**Exam Code:** HP0-409

**Exam Name:** OVIS/OVTA

**Vendor:** HP

**Version:** DEMO

## **Part: A**

1: Which versions of OVIS are supported in the upgrade to OVIS 6.x? Select TWO.

- A.OVIS 4.5
- B.OVIS 3.5
- C.OVIS 2.0
- D.OVIS 3.0
- E.OVIS 5.x

**Correct Answers: A E**

2: Which of the following statements is correct regarding OVIS probe systems?

- A.Probe Systems can only be Microsoft Operating Systems based, (Win2K, Win2003, WinXP).
- B.Due to performance requirements, Probe Systems must be a dedicated machine serving no other purpose.
- C.Probe Systems can be either Windows, Solaris, or HP-UX based.
- D.OVIS probes can run on AIX systems.

**Correct Answers: C**

3: What metrics are provided in the Memory/Heap Tab of Java Diagnostics. Select TWO.

- A.Garbage Collection Events
- B.Method Compilation Count
- C.Allocating Method Statistics
- D.Java Method Hotspots
- E.Loaded Classes

**Correct Answers: A C**

4: In the OVIS Health workspace, which view displays the number of service level violations, the number of alarms and the service availability?

- A.Alarm Tab
- B.Trends Tab
- C.Summary Tab
- D.Target Status

**Correct Answers: C**

5: Your colleague says they are seeing data arrive in the Heap Monitor window but they are not seeing a particular Java method show up in the Java Method Hotspot display. What steps would you recommend to your colleague to troubleshoot this problem? Select THREE.

- A.Ensure that the OVTA ARM Collector is running on the managed node.
- B.Check the session "exclusive" filters to ensure that they have not accidentally filtered the class you expect to see.
- C.Verify in the Java Method Hotspots display that the transaction filter that they used to launch into Java Diagnostics shows the proper transaction filter.
- D.Verify that the transaction is actually being measured by an OVTA measurement target configuration.

E. Verify that the correct JVM instance has been attached to on the managed node.

**Correct Answers: B C E**

6: What configuration steps are needed in the Configuration Editor in order to retain OVTA data for three months?

A. In the Measurement Server panel -> Archiving panel, change "Detailed Statistics Retention" to 90 days

B. In the Database panel -> Archiving panel, change "Detailed Statistics Retention" to 90 days

C. In the Database panel -> Archiving panel, change "Summarized Statistical Retention" to 90 days and restart the measurement server

D. In the Measurement Server panel -> Archiving panel, change "Summarized Statistical Retention" to 90 days and restart the measurement server

**Correct Answers: D**

7: A customer is using an OVIS HTTP\_TRANS probe and OVTA to monitor their web application. If the developer changes the application code, it may be necessary to \_\_\_\_\_. Select TWO.

A. Restart the OVTA transaction agent on the application server

B. Re-record the HTTP\_TRANS probe

C. Re-install the OVTA transaction agent on the application server

D. Restart the JD node agent on the application server

E. Modify the transaction classification rules on the OVTA measurement server

**Correct Answers: B E**

8: What is one way to maximize monitoring capabilities for transaction classification?

A. In the OVTA Console, highlight a transaction type from the navigation panel and select File -> Edit

B. In the Configuration Editor, highlight a measurement from the HTTP Monitoring navigation panel and select the Edit button

C. In the OVTA Console, highlight a transaction type from the navigation panel, right-mouse-click and select Edit

D. In the Java Diagnostics GUI, highlight a transaction type from the HTTP Monitoring navigation panel and select the Edit button

**Correct Answers: B**

9: Why could JDBC sub-component measurements be missing in the Application Infrastructure View of the OVTA Console? Select THREE.

A. The Transaction Tracing sampling factor for the particular top-level transaction has been set to zero.

B. At least 5 minutes has not passed to allow the measurements to appear at the OVTA Measurement Server.

C. SQL Trace Sampling has not been enabled for the managed node being monitored.

D. No transactions that contain JDBC method calls have been measured by OVTA due to custom classification rules.

E. The J2EE Application was not restarted after installing the OVTA managed node components

and running the post-install configuration command.

**Correct Answers: B D E**

10: Scheduled downtime can be applied to \_\_\_\_\_. Select THREE.

A.A Service Group

B.A Service Target

C.A WEBAPP Application Target

D.A Probe Location

E.A Customer

**Correct Answers: A B E**